




# Bollard Lights



**MODEL : TRIFRM**

Watts	Dia Size	Height
12W	100mm	300/600/900mm

BODY: CAST ALUMINIUM



**MODEL : SQFRM**

Watts	Dia Size	Height
12W	95 X 95mm	300/600/900mm

BODY: CAST ALUMINIUM



**MODEL : TREE**

Watts	Dia Size	Height
12W	Ø60 X 150mm	300/600/900mm

BODY: G.I. POLE & ALUMINIUM



**MODEL : PYRAMID**

Watts	Dia Size	Height
20W	Ø75 X 180mm	300/600/900mm

BODY: ALUMINIUM

Led: CREE/BRIDGELUX; Driver: BIS/PHILIPS;  
CCT: WW/NW/CW; IP Rating: IP65



**MODEL : SQBL**

Base	Dia Size	Height
B22	225mm X 225mm	450/600/900mm

BODY: ALUMINIUM



**MODEL : RDBL**

Base	Dia Size	Height
B22	200mm	450/600/900mm

BODY: ALUMINIUM



**MODEL : OVAL**

Base	Dia Size	Height
B22	175mm	450/600/900mm

BODY: ALUMINIUM



**MODEL : BENT**

Watts	Dia Size	Height
12W	100 X 45mm	600/900mm

BODY: ALUMINIUM


Led: CREE/BRIDGELUX; Driver: BIS/PHILIPS;  
CCT: WW/NW/CW; IP Rating: IP65



**MODEL : RDPYR**

Watts	Dia Size	Height
12W	85mm	300/550/850mm

**BODY: ALUMINIUM**



**MODEL : SQPYR**

Watts	Dia Size	Height
12W	85 X 85mm	300/550/850mm

**BODY: ALUMINIUM**



**MODEL : RBL**

Base	Dia Size	Height
B22	75mm	300/600/900mm

**BODY: ALUMINIUM**



**MODEL : SBL**

Base	Dia Size	Height
B22	85 X 85mm	300/600/900mm

**BODY: ALUMINIUM**

**Led: CREE/BRIDGELUX; Driver: BIS/PHILIPS;  
CCT: WW/NW/CW; IP Rating: IP65**