



Wall Lights



MODEL : K



MODEL : RD



MODEL : SQ

Watts	Dimensions(mm)
-------	----------------

3W	80 X 75 X 65(H)
3W * 2	80 X 142 X 65(H)

Watts	Dimensions(mm)
-------	----------------

3W * 2	65 X 50 X 60(H)
3W * 4	77 X 77 X 57(H)

Watts	Dimensions(mm)
-------	----------------

5W	68 X 80 X 80(H)
5W * 2	68 X 150 X 80(H)



MODEL : CYL



MODEL : RT



MODEL : X

Watts	Dimensions(mm)
-------	----------------

5W	65 X 95 X 100(H)
5W * 2	65 X 115 X 110(H)

Watts	Dimensions(mm)
-------	----------------

3W	40 X 90 X 60(H)
3W * 2	45 X 120 X 63(H)

Watts	Dimensions(mm)
-------	----------------

6W * 2	100 X 200 X 83(H)
--------	-------------------

Led: EDISON/BRIDGELUX; Driver: BIS/PHILIPS; CCT: WW/NW/CW
Body: ALUMINIUM DIE-CASTED; IP Rating: IP65



MODEL : FRAME

Watts	Dimensions(mm)
6W	215 X 125 X 55(H)



MODEL : 4 WAY

Watts	Dimensions(mm)
3W * 4	100 X 100 X 50(H)



MODEL : CUT

Watts	Dimensions(mm)
3W * 2	108 X 180 X 65(H)



MODEL : BOX

Watts	Dimensions(mm)
3W * 2	100 X 100 X 100(H)



MODEL : 6 WAY

Watts	Dimensions(mm)
6W	116 X 61(H)



MODEL : TRI

Watts	Dimensions(mm)
3W * 3	165 X 45(H)

Led: EDISON/BRIDGELUX; Driver: BIS/PHILIPS; CCT: WW/NW/CW
Body: ALUMINIUM DIE-CASTED; IP Rating: IP65



MODEL : BNW

Watts	Dimensions(mm)
10W	175 X 95 X 65(H)



MODEL : WNW

Watts	Dimensions(mm)
10W	165 X 65(H)



MODEL : GNW

Watts	Dimensions(mm)
8W	85 X 210 X 65(H)

Led: EDISON/BRIDGELUX; Driver: BIS/PHILIPS; CCT: WW/NW/CW
Body: PVC; IP Rating: IP65