



LIGHTING  
your  
*World*

[www.skyloled.com](http://www.skyloled.com)





# About us

## SKYLO Innovations

was established in 2016 at Mumbai, India. The company introduced the brand SKYLO with innovative LED Lighting Solutions for all range of customers and applications. From domestic lightings and housing societies to education campus, corporate offices, shops and establishments, factories and many more, SKYLO Innovations continues to pioneer technology advancement in energy saving products.

The demand for energy is increasing rapidly and becoming a major environmental issue for the entire world. LED is highly energy efficient lighting technology, and has the potential to fundamentally change the future of lighting in the world. SKYLO Innovations understands the customer's requirements and know that today's buyer wants real value and thus constantly moving forward to meet the same.



### OUR MISSION

To create energy saving & eco-friendly solutions that help make the world greener and healthier. To provide our customers with the best quality of the products to suit their needs at affordable prices and personalized service & consultation to be assured about the product to meet or exceed their expectations.

In a world where technology increasingly touches every aspect of our daily lives, we will be a leading solution provider in the area of electronics and technology, aspiring to become the most admired company.



### OUR VISION

## OUR CLIENTELE



जनेपन्यास  
JNPT





# Table of Content

## INDOOR LIGHTS

Down Lights	04 - 05	Panel Lights	06 - 07
Spot Lights	08 - 11	Profile Lights	12 - 13
Suspended Profile Lights	14 - 16	Strip Lights	17 - 18
Cleanroom Lights	19		

## OUTDOOR LIGHTS

Rope Lights / Neon Flex	20	Facade Lights	21 - 23
Highbay Lights	24	Flood Lights	25
Bollard Lights	26 - 29	Foot Lights	30 - 31
Garden Lights	32 - 33	Gate Lights	34 - 37
Heritage Pole Lights	38 - 44	Trendy Pole Lights	45 - 53
Heritage Wall Lights	54 - 55	Wall Lights	56 - 58
Post Top Lights	59 - 62	Inground Lights	63 - 64
Street Lights	65 - 66	Solar Lights	67 - 69
Underwater Lights	70 - 71		



# Down Lights



## Recessed

Watts	Shape	Outer	Cutout	Height
12W	Round	119mm	112mm	53mm
	Square	110mm	100mm	53mm
18W	Round	154mm	125mm	58mm
	Square	145mm	120mm	58mm
24W	Round	175mm	150mm	58mm
	Square	170mm	140mm	58mm

BODY : ALUMINIUM DIE-CASTED



MODEL : SRDL

MODEL : RRDL



MODEL : SDL

MODEL : RDL

## Flat


Watts	Outer	Cutout	Height
8W	120mm	100mm	35mm
12W	145mm	125mm	35mm
18W	170mm	150mm	35mm
24W	195mm	175mm	35mm

BODY : ALUMINIUM DIE-CASTED

## PC

Watts	Outer	Cutout	Height
8W	105mm	95mm	25mm
12W	150mm	135mm	25mm
18W	170mm	150mm	25mm
22W	200mm	185mm	25mm

BODY : POLY CARBONATE



MODEL : SPCDL

MODEL : RPCDL

Led: EDISON/BRIDGELUX; Driver: BIS/PHILIPS; CCT: WW/NW/CW/3in1  
Beam Angle: 120°; IP Rating: IP20



# Panel Lights



## Concealed

Watts	Outer	Cutout
8W	120mm	100mm
15W	170mm	150mm
22W	220mm	200mm
30W	300mm	285mm

BODY : ALUMINIUM DIE-CASTED  
CCT : WW/NW/CW/3in1



MODEL : RPL



MODEL : SPL



MODEL : RSFPL

MODEL : SSFPL

## Surface

Watts	Outer	Height
8W	100mm	32mm
15W	155mm	32mm
22W	195mm	32mm
30W	300mm	45mm


BODY : ALUMINIUM DIE-CASTED  
CCT : WW/NW/CW/3in1



## 1x4 Edgelit

Watts	Outer	Cutout
40W	1195 X 295mm	1175 X 275mm

BODY : MS  
CCT : WW/NW/CW



## 2x2 Backlit

Watts	Outer	Cutout
36/50W	595mm	575mm

BODY : MS  
CCT : WW/NW/CW

Led: EDISON/BRIDGELUX; Driver: BIS/PHILIPS; Beam Angle: 120°; IP Rating: IP20



# Spot Lights





**MODEL : TRSL**

Watts	Outer	Cutout	Height
4W	68mm	58mm	35mm
7W	88mm	70mm	40mm
12W/15W	105mm	85mm	55mm
20/25W	120mm	105mm	75mm
30W	145mm	135mm	90mm
40W/ 50W	160mm	145mm	100mm



**MODEL : FRSL**

Watts	Outer	Cutout	Height
25W	140mm	120mm	90mm
30W	165mm	145mm	110mm
50W	200mm	175mm	110mm



**MODEL : DSL**

Watts	Outer	Cutout	Height
4W	70mm	60mm	65mm
7W	75mm	65mm	70mm
12W	83mm	76mm	75mm
18W	95mm	85mm	85mm
30W	128mm	115mm	115mm



**MODEL : CSL**

Watts	Outer	Cutout	Height
4W	70mm	60mm	65mm
7W	75mm	65mm	70mm
12W	83mm	76mm	75mm
18W	95mm	85mm	85mm
30W	128mm	115mm	115mm

**Led: CREE/BRIDGELUX; Driver: PHILIPS; CCT: WW/NW/CW/3in1  
Body: ALUMINIUM DIE-CASTED; Beam Angle: 24°/36°/60°; IP Rating: IP20**



**MODEL : CTSL**

Watts	Outer	Cutout	Height
10W	75mm	60mm	95mm
14W	100mm	90mm	95mm



**MODEL : DCTSL**

Watts	Outer	Cutout	Height
2 X 14W	185 X 100mm	169 X 89mm	96mm



**MODEL : SSFSL**

Watts	Outer	Height
5W	55mm	73mm
12W	74mm	94mm
20W	95mm	119mm



**MODEL : RSFSL**

Watts	Outer	Height
5W	55mm	73mm
12W	74mm	100mm
20W	94mm	114mm

**Led: CREE/BRIDGELUX; Driver: PHILIPS; CCT: WW/NW/CW/3in1  
Body: ALUMINIUM DIE-CASTED; Beam Angle: 24°/36°/60°; IP Rating: IP20**





**MODEL : RDSL**

Watts	Outer	Cutout	Height
7W	75mm	65mm	70mm
12W	83mm	76mm	75mm
18W	95mm	85mm	85mm



**MODEL : TRACK**

Watts	Outer	Height
10W	50mm	120mm
20W	65mm	160mm
30W	75mm	180mm



**MODEL : ZOOM**

Watts	Outer	Cutout	Height
10W	110mm	96mm	55mm
20W	130mm	120mm	75mm
30W	160mm	140mm	100mm
45W	190mm	180mm	135mm




**MODEL : LASER**

Watts	Outer	Cutout
6W	73 X 33mm	66 X 22mm
12W	134 X 33mm	125 X 25mm


**Led: CREE/BRIDGELUX; Driver: PHILIPS; CCT: WW/NW/CW/3in1  
Body: ALUMINIUM DIE-CASTED; Beam Angle: 24°/36°/60°; IP Rating: IP20**




# Profile Lights




MODEL: 17mm SURFACE




MODEL: 17mm CONCEALED




MODEL: 16mm CORNER




MODEL: 10mm SURFACE




MODEL: 10mm CONCEALED




MODEL: 35mm SURFACE



MODEL: 35mm CONCEALED




MODEL: 50mm SURFACE



MODEL: 50mm CONCEALED




MODEL: 50 X 70



MODEL: 75 X 90




MODEL: CIRCULAR



MODEL: BENDABLE



MODEL: HANGER




MODEL: WALKOVER






# Suspended Profile Lights




## Linear

Watts	Dimensions (mm)
20/40/60/80/120W	600/1200/1800/2400/3600 (W-50 X H-70)




## Semi Laser

Watts	Dimensions (mm)
40/60/80W	1200/1800/2400 (W-35 X H-70)




## Laser

Watts	Dimensions (mm)
45/70/90W	1200/1800/2400 (W-35 X H-70)



## Square

Watts	Dimensions (mm)
40/80/120/240W	300 X 300/600 X 600/ 1200 X 1200/1800 X 1800 (W-50 X H-70)



## Rectangle

Watts	Dimensions (mm)
60/90/120/150/180W	600 X 300/900 X 450/1200 X 600 / 1500 X 750/1800 X 900 (W-50 X H-70)



## Gamma


Watts	Dimensions (mm)
30/60/90/120W	300 X 300 X 300/600 X 600 X 600/ 900 X 900 X 900/1200 X 1200 X 1200 (W-50 X H-70)

**Led: EDISON/BRIDGELUX; Driver: BIS/PHILIPS/FULHAM; CCT: WW/NW/CW**  
**Body: ALUMINIUM & ACRYLIC; Colour: BLACK/GRAY/WHITE; Mounting: SUSPENDED & SURFACE**




## Circular

Watts	Dimensions (mm)
30/36/40/50/ 60/80/120/180W	300/450/600 (W-50 X H-50)/ 750/900/1200/1500 (W-75 X H-50)



## Triangle

Watts	Dimensions (mm)
30/45/60/75/ 90/120/150W	300/450/600/750/900/ 1200/1500 (W-50 X H-70)




## Hexagonal

Watts	Dimensions (mm)
30/45/60/75/ 90/120/150W	300/450/600/750/ 900/1200/1500 (W-50 X H-70)




## Round Drum

Watts	Dimensions (mm)
30/36/40/50/80/120W	300/450/600 (H-50) 750/900/1200 (H-75)



## Triangle Drum

Watts	Dimensions (mm)
30/36/40/50/80/120W	300/450/600 750/900/1200 (H-75)



## Hexagonal Drum

Watts	Dimensions (mm)
30/36/40/50/80/120W	300/450/600 750/900/1200 (H-75)

Led: EDISON/BRIDGELUX; Driver: BIS/PHILIPS/FULHAM; CCT: WW/NW/CW  
 Body: ALUMINIUM & ACRYLIC; Colour: BLACK/GRAY/WHITE; Mounting: SUSPENDED & SURFACE





# Strip Lights



**MODEL : 24V120**

Colour	No. of LED	PCB Width(mm)
WH / WW / NW	120 LED Per mtr	8



**MODEL : 24V240**

Colour	No. of LED	PCB Width(mm)
WH / WW / NW	240 LED Per mtr	10



**MODEL : 8MM120**

Colour	No. of LED	PCB Width(mm)
WH / WW / NW / Blue / Orange	120 LED Per mtr	8



**MODEL : 5MM120**

Colour	No. of LED	PCB Width(mm)
WH / WW / NW	120 LED Per mtr	5



**MODEL : 10MM180**

Colour	No. of LED	PCB Width(mm)
WH / WW / NW	180 LED Per mtr	10



**MODEL : 5MM180**

Colour	No. of LED	PCB Width(mm)
WH / WW / NW	180 LED Per mtr	5



**MODEL : 3IN1**

Colour	No. of LED	PCB Width(mm)
3 in 1	180 LED Per mtr	10



**MODEL : 10MM240**

Colour	No. of LED	PCB Width(mm)
WH / WW / NW / Blue / Orange	240 LED Per mtr	10





## MODEL : BOTTOM OPENING

Watts	Outer	Cutout	Height
30W	300mm	300mm	80mm
30W	600mm	300mm	80mm
40W	600mm	600mm	80mm
60W	600mm	600mm	80mm
80W	600mm	600mm	80mm




## MODEL : TOP OPENING

Watts	Outer	Cutout	Height
30W	300mm	300mm	80mm
30W	600mm	300mm	80mm
40W	600mm	600mm	80mm
60W	600mm	600mm	80mm
80W	600mm	600mm	80mm

Led: BRIDGELUX; Driver: PHILIPS/FULHAM; CCT: WW/NW/CW  
 Body: CRCA Powder Coated; Diffuser: PMMA; CRI: >80; pF: >0.95; IP Rating: IP54





**MODEL : ROPE120**

Watts	Dimensions	PCB Size	Input Volt.	Lumens	IP Rating
10W per mtr	11 X 6mm	8mm	200-240VAC	750Lm +-10%.	IP65

**Length/ Roll : 50mtrs**

**No. of Led's : 2835/120 led/mtr**

**CCT:WW/NW/CW/R/G/B/RGB/PINK/ORANGE/ICE BLUE/TIRANGA**

# Neon Flex



**MODEL : NEON**

Watts	Dimensions	PCB Size	Input Volt.	IP Rating
12/18/24W per mtr	12 X 12/16 X 16/20 X 14/ 30 X 20/50 X 25mm	8mm	12V/24V	IP67 / IP68

**CCT: WW/NW/CW/R/G/B/RGB/RGBWW**



# Facade Lights





**MODEL : 27SFCL**

Watts	Dimensions(mm)
3W * 9 <b>27W</b>	170 X 170 X 240(H)



**MODEL : 48SFCL**

Watts	Dimensions(mm)
3W * 16 <b>48W</b>	200 X 200 X 260(H)



**MODEL : 72SFCL**

Watts	Dimensions(mm)
3W * 24 <b>72W</b>	245 X 245 X 360(H)



**MODEL : 12RFCL**

Watts	Dimensions(mm)
1W * 12 <b>12W</b>	150 X 95 X 185(H)



**MODEL : 18RFCL**

Watts	Dimensions(mm)
1W * 18 <b>18W</b>	170 X 95 X 200(H)



**MODEL : 24RFCL**

Watts	Dimensions(mm)
1W * 24 <b>24W</b>	180 X 95 X 220(H)



**MODEL : 36RFCL**

Watts	Dimensions(mm)
1W * 36 <b>36W</b>	230 X 110 X 285(H)



**MODEL : HALO**

Watts	Dimensions(mm)
10W 30W	150 X 160 X 230(H)



**MODEL : 36RTFCL**

Watts	Dimensions(mm)
3W * 12 <b>36W</b>	185 X 160 X 85(D) X 230(H)

Led: CREE/BRIDGELUX; Driver: PHILIPS/FULHAM; CCT: WW/NW/CW/RGB/RGBCW/RGBWW  
Body: ALUMINIUM DIE-CASTED; IP Rating: IP65





**MODEL : QUAD**



**MODEL : HEXA**



**MODEL : BEAM**

Watts	Dimensions(mm)
3W * 4 <b>12W</b>	110 X 110(H)

Watts	Dimensions(mm)
1W * 6 <b>6W</b>	62 X 50 X 80(H)

Watts	Dimensions(mm)
9W	65 X 80 X 110(H)



**MODEL : REGULAR**



**MODEL : ELEGANT**



**MODEL : FLAP**

Watts	Dimensions(mm)
18W	600 X 50 X 110(H)
36W	1000 X 50 X 110(H)
48W	1200 X 50 X 110(H)

Watts	Dimensions(mm)
18W / 27W	1000 X 36 X 33(H)
36W / 48W	

Watts	Dimensions(mm)
1W * 24 <b>24W</b>	1000 X 45 X 95(H)



**MODEL : 18WWFCL**



**MODEL : 72WWFCL**



**MODEL : 70WWFCL**

Watts	Dimensions(mm)
3W * 6 <b>18W</b>	265 X 60 X 72(H)

Watts	Dimensions(mm)
3W * 24 <b>72W</b>	1000 X 60 X 72(H)

Watts	Dimensions(mm)
70W	1000 X 66 X 71(H)

Led: CREE/BRIDGELUX; Driver: PHILIPS/FULHAM; CCT: WW/NW/CW/RGB/RGBCW/RGBWW  
Body: ALUMINIUM DIE-CASTED; IP Rating: IP65



## MODEL : UFO

Watts	Dimensions(mm)
100W/120W/150W	290 X 100
200W/250W/300W	370 X 85



## MODEL : WELL GLASS

Watts	Dimensions(mm)
40W	145 X 161
80W	191 X 207


## MODEL : REFLECTOR

Watts	Dimensions(mm)
30W/50W	185 X 50
70W/100W	230 X 60
150W/200W	320 X 70



Led: OSRAM/BRIDGELUX; Driver: BIS/PHILIPS; CCT: WW/NW/CW  
 Body: ALUMINIUM DIE-CASTED; Beam Angle: 60°/90°/120°; IP Rating: IP65





## MODEL : BROAD

Watts	Dimensions(mm)
15W/20W	130 X 100 X 35
30W/50W	210 X 150 X 60
60W	245 X 180 X 65
72W/100W	295 X 240 X 70
150W	345 X 250 X 75
200W	390 X 300 X 80
300W/400W	500 X 340 X 80
500W/600W	500 X 340 X 80 X 2



## MODEL : SLIM

Watts	Dimensions(mm)
20W/30W	200 X 180 X 60
50W/70W	215 X 205 X 60
100W	270 X 245 X 70
150W	305 X 285 X 70
200W	345 X 325 X 80
250W/300W	415 X 370 X 80
400W	500 X 465 X 80



## MODEL : MODULAR

Watts	Dimensions(mm)
120W	376 X 108 X 102
240W	376 X 215 X 102
360W	376 X 322 X 102
480W	376 X 430 X 102
600W	376 X 557 X 102



Led: OSRAM/BRIDGELUX; Driver: BIS/PHILIPS; CCT: WW/NW/CW/RGB  
 Body: ALUMINIUM DIE-CASTED; Beam Angle: 60°/90°/120°; IP Rating: IP65





# Bollard Lights



**MODEL : TRIFRM**

Watts	Dia Size	Height
12W	100mm	300/600/900mm

BODY: CAST ALUMINIUM



**MODEL : SQFRM**

Watts	Dia Size	Height
12W	95 X 95mm	300/600/900mm

BODY: CAST ALUMINIUM



**MODEL : TREE**

Watts	Dia Size	Height
12W	Ø60 X 150mm	300/600/900mm

BODY: G.I. POLE & ALUMINIUM



**MODEL : PYRAMID**

Watts	Dia Size	Height
20W	Ø75 X 180mm	300/600/900mm

BODY: ALUMINIUM

Led: CREE/BRIDGELUX; Driver: BIS/PHILIPS;  
CCT: WW/NW/CW; IP Rating: IP65



**MODEL : SQBL**

Base	Dia Size	Height
B22	225mm X 225mm	450/600/900mm

BODY: ALUMINIUM



**MODEL : RDBL**

Base	Dia Size	Height
B22	200mm	450/600/900mm

BODY: ALUMINIUM



**MODEL : OVAL**

Base	Dia Size	Height
B22	175mm	450/600/900mm

BODY: ALUMINIUM



**MODEL : BENT**

Watts	Dia Size	Height
12W	100 X 45mm	600/900mm

BODY: ALUMINIUM

Led: CREE/BRIDGELUX; Driver: BIS/PHILIPS;  
CCT: WW/NW/CW; IP Rating: IP65






**MODEL : RDPYR**

Watts	Dia Size	Height
12W	85mm	300/550/850mm

BODY: ALUMINIUM



**MODEL : SQPYR**

Watts	Dia Size	Height
12W	85 X 85mm	300/550/850mm

BODY: ALUMINIUM



**MODEL : RBL**

Base	Dia Size	Height
B22	75mm	300/600/900mm

BODY: ALUMINIUM



**MODEL : SBL**

Base	Dia Size	Height
B22	85 X 85mm	300/600/900mm

BODY: ALUMINIUM

**Led: CREE/BRIDGELUX; Driver: BIS/PHILIPS;  
CCT: WW/NW/CW; IP Rating: IP65**



# Foot Lights



**MODEL : 2 EYE**

Watts	Dimensions(mm)
2W	OD - 114 X 114 X 60(H) ID - 110 X 110



**MODEL : 4 EYE**

Watts	Dimensions(mm)
4W	OD - 170 X 114 X 60(H) ID - 165 X 110



**MODEL : 6 EYE**

Watts	Dimensions(mm)
6W	OD - 226 X 114 X 60(H) ID - 221 X 110



**MODEL : BRICK**

Watts	Dimensions(mm)
2W 6W	90 X 60 X 40(H) 150 X 70 X 40(H)



**MODEL : RSFFL**

Watts	Dimensions(mm)
4W	115 X 30(H)



**MODEL : SSFFL**

Watts	Dimensions(mm)
4W	115 X 115 X 30(H)



**MODEL : RTFL**

Watts	Dimensions(mm)
5W	OD - 145 X 70 X 40(H) ID - 110 X 55



**MODEL : RFL**

Watts	Dimensions(mm)
3W	OD - 125 X 40(H) ID - 110



**MODEL : SFL**

Watts	Dimensions(mm)
4W	OD - 125 X 125 X 40(H) ID - 110 X 110

Led: EDISON/BRIDGELUX; Driver: BIS/PHILIPS; CCT: WW/NW/CW  
Body: ALUMINIUM DIE-CASTED; IP Rating: IP65





# Garden Lights





**MODEL : TRIOGL**

Watts	Dimensions(mm)
3W	45 X 66(H)
7W / 12W	66 X 100(H)
20W	80 X 130(H)



**MODEL : SQGL**

Watts	Dimensions(mm)
6W	85 X 115(H)
12W	85 X 115(H)



**MODEL : RDGL**

Watts	Dimension(mm)
6W	63 X 97(H)
12W	85 X 110(H)



**MODEL : CYGL**

Watts	Dimensions(mm)
7W	50 X 116(H)
15W	66 X 142(H)
20W	83 X 160(H)



**MODEL : OVGL**

Watts	Dimensions(mm)
10W	90 X 135 X 90(H)
20W	115 X 180 X 140(H)
30W	150 X 210 X 160(H)



**MODEL : ZOOM**

Watts	Dimensions(mm)
10W	80 X 115(H)
20W	100 X 150(H)
30W	125 X 190(H)



**MODEL : CFGL**

Watts	Dimensions(mm)
6W	195 X 103



**MODEL : HOOD**

Watts	Dimensions(mm)
12W	95 X 130(H)



**MODEL : GRIP**

Watts	Dimensions(mm)
18W	160 X 100 X 290(H)

Led: EDISON/BRIDGELUX; Driver: BIS/PHILIPS; CCT: WW/NW/CW/R/G/B  
 Body: ALUMINIUM DIE-CASTED; Beam Angle: 60°/90°/120°; IP Rating: IP65



# Gate Lights





**MODEL : KING**

Size	Colour	Body	Pipe Dia
350mm X 225mm 500mm X 250mm	Black	Cast Aluminium	60mm/70mm

BASE : B22



**MODEL : HEXGTL**

Size	Colour	Body	Pipe Dia
330mm X 190mm 450mm X 260mm	Black	Cast Aluminium	Base Mount

BASE : B22



**MODEL : QUADGTL**

Size	Colour	Body	Pipe Dia
320mm X 170mm 370mm X 225mm	Black	Cast Aluminium	55mm/60mm

BASE : B22



**MODEL : WCGTL**

Size	Colour	Body	Pipe Dia
425mm X 200mm	Black	Cast Aluminium	55mm

BASE : B22



**MODEL : QUEEN**

Base	Size	Colour	Body	Pipe Dia
B22	300mm X 150mm 425mm X 225mm	Antique Gold	Cast Aluminium	55mm/70mm

BASE : B22



**MODEL : SQGTL**

Size	Colour	Body
225mm X 225mm	Gray	Aluminium

BASE : B22



**MODEL : RDGTL**

Size	Colour	Body
225mm X 225mm	Gray	Aluminium

BASE : B22



**MODEL : OVGTL**

Size	Colour	Body
235mm X 180mm	Gray	Aluminium

BASE : B22



**MODEL : FRMGTL**

Size	Colour	Body
200mm X 150mm 250mm X 200mm	Gray	Aluminium

BASE : B22



**MODEL : MUSHROOM**

Watts	Size	Colour	Pipe Dia	Body
12W	300mm X 200mm	Black	Base Mount	Aluminium



**MODEL : PYGTL**


Watts	Size	Colour	Body	Pipe Dia
20W	225mm X 180mm	Black	PVC	80mm



**MODEL : MESH**

Size	Colour	Body	Pipe Dia
350mm X 175mm	Black	Aluminium	Base Mount


BASE : B22



**MODEL : 1GTL**

Watts	Size	Colour	Body
7W	100mm X 120mm	Gray	Cast Aluminium


MOUNTING : WALL MOUNT & BASE MOUNT



**MODEL : 2GTL**

Watts	Size	Colour	Body
7W	100mm X 110mm	Gray	Cast Aluminium

MOUNTING : WALL MOUNT & BASE MOUNT



**MODEL : 3GTL**

Watts	Size	Colour	Body
7W	80mm X 120mm	Black	Cast Aluminium

MOUNTING : WALL MOUNT & BASE MOUNT





# Heritage Pole Lights

# Heritage Pole Lights



MODEL : 1HPL

Size (mm)

1150 X 200



MODEL : 2HPL

Size (mm)

1130 X 190



MODEL : 3HPL

Size (mm)

1100 X 150



MODEL : 4HPL

Size (mm)

1120 X 170



MODEL : 5HPL

Size (mm)

1225 X 200



MODEL : 6HPL

Size (mm)

1750 X 200



MODEL : 7HPL

Size (mm)

1730 X 190



MODEL : 8HPL

Size (mm)

1700 X 150



MODEL : 9HPL

Size (mm)

1720 X 170



MODEL : 10HPL

Size (mm)

1825 X 200

Body: CAST ALUMINIUM; Base: B22



**MODEL : 11HPL**

Size (mm)

2150 X 825

**MODEL : 12HPL**

Size (mm)

2600 X 825

**MODEL : 13HPL**

Size (mm)

2100 X 835

**MODEL : 14HPL**

Size (mm)

2550 X 835

**Body: CAST ALUMINIUM; Base: B22**





**MODEL : 15HPL**

Size (mm)

2050 X 795

**MODEL : 16HPL**

Size (mm)

2535 X 795

**MODEL : 17HPL**

Size (mm)

2100 X 775

**MODEL : 18HPL**

Size (mm)

2575 X 775

**Body: CAST ALUMINIUM; Base: B22**



**MODEL : 19HPL**

Size (mm)

2175 X 800

**MODEL : 20HPL**

Size (mm)

2775 X 800

**MODEL : 21HPL**

Size (mm)

1950 X 875

**MODEL : 22HPL**

Size (mm)


2550 X 875

**Body: CAST ALUMINIUM; Base: B22**



**MODEL : 23HPL**

Product Code	Watts	Height(mm)	Pole Dia Ø
23HPL - A	50W	3000	Ø114 & Ø60
23HPL - B	100W	3000	Ø114 & Ø60
23HPL - C	50W	4000	Ø114 & Ø60
23HPL - D	100W	4000	Ø114 & Ø60
23HPL - E	50W	5000	Ø114 & Ø60
23HPL - F	100W	5000	Ø114 & Ø60



**MODEL : 24HPL**

Product Code	Watts	Height(mm)	Pole Dia Ø
24HPL - A	50W	2400	Ø75mm
24HPL - B	50W	3000	Ø75mm
24HPL - C	50W	3600	Ø75mm
24HPL - D	50W	2400	Ø114 & Ø75
24HPL - E	50W	3000	Ø114 & Ø75
24HPL - F	50W	3600	Ø114 & Ø75

**Body: CAST ALUMINIUM; Base: B22**





**MODEL : 25HPL**

**MODEL : 26HPL**


Product Code	Watts	Height(mm)	Pole Dia Ø
25HPL - A	50W	2400	Ø60mm
25HPL - B	50W	3000	Ø60mm
25HPL - C	50W	3600	Ø60mm

Product Code	Watts	Height(mm)	Pole Dia Ø
26HPL - A	50W	2400	Ø60mm
26HPL - B	50W	3000	Ø60mm
26HPL - C	50W	2400	Ø114 & Ø60
26HPL - D	50W	3000	Ø114 & Ø60


**Body: CAST ALUMINIUM; Base: B22**



# Trendy Pole Lights



**MODEL : 1TPL**



**MODEL : 2TPL**

Product Code	Watts	Height(mm)	Pole Dia Ø(mm)
1TPL - A	50W X 1	2400	Ø60
1TPL - B	50W X 2	2400	Ø60
1TPL - C	50W X 1	3000	Ø60
1TPL - D	50W X 2	3000	Ø60
1TPL - E	50W X 1	3600	Ø60
1TPL - F	50W X 2	3600	Ø60

Product Code	Watts	Height(mm)	Post Top(mm)	Pole Dia Ø(mm)
2TPL - G	50W	2400	400	Ø60
2TPL - H	50W	3000	400	Ø60
2TPL - I	50W	3600	400	Ø60
2TPL - J	100W	2400	500	Ø75
2TPL - K	100W	3000	500	Ø75
2TPL - L	100W	3600	500	Ø75

**Body: ALUMINIUM & G.I. POLE; CCT: WW/NW/CW**






**MODEL : 3TPL**

Product Code	Watts	Height(mm)	Pole Dia (mm)
3TPL - A	50W X 1	2400	100 X 100mm
3TPL - B	50W X 2	2400	100 X 100mm
3TPL - C	50W X 1	3000	100 X 100mm
3TPL - D	50W X 2	3000	100 X 100mm
3TPL - E	50W X 1	3600	100 X 100mm
3TPL - F	50W X 2	3600	100 X 100mm


**MODEL : 4TPL**

Product Code	Watts	Height(mm)	Pole Dia (mm)
4TPL - A	50W X 1	2400	100 X 100mm
4TPL - B	50W X 2	2400	100 X 100mm
4TPL - C	50W X 1	3000	100 X 100mm
4TPL - D	50W X 2	3000	100 X 100mm
4TPL - E	50W X 1	3600	100 X 100mm
4TPL - F	50W X 2	3600	100 X 100mm

**Body: ALUMINIUM & G.I. POLE; CCT: WW/NW/CW**



**MODEL : 5TPL**



**MODEL : 6TPL**

Product Code	Watts	Height(mm)	(P+L)	Pole Dia(mm)
5TPL - A	12W	1200	(900+300)	75mm
5TPL - B	24W	1800	(1200+600)	75mm
5TPL - C	36W	2400	(1500+900)	75mm
5TPL - D	24W	1800	(1200+600)	100mm
5TPL - E	50W	2400	(1500+900)	100mm
5TPL - F	50W	3000	(2100+900)	100mm

Product Code	Watts	Height	(P+L)	Pole Dia (mm)
6TPL - A	24W	1800mm	(1200+600)	100mm
6TPL - B	36W	2400mm	(1500+900)	100mm
6TPL - C	50W	3000mm	(1800+1200)	100mm

**Body: ALUMINIUM & G.I. POLE; CCT: WW/NW/CW**



**MODEL : 7TPL**

Product Code	Watts	Height(mm)	Pole Dia(mm)
7TPL - A	E27 X 1	3000	Ø75mm
7TPL - B	E27 X 2	3000	Ø75mm
7TPL - C	50W	3000	Ø75mm
7TPL - D	100W	3000	Ø75mm
7TPL - E	E27 X 1	4000	Ø75mm
7TPL - F	E27 X 2	4000	Ø75mm
7TPL - G	50W	4000	Ø75mm
7TPL - H	100W	4000	Ø75mm



**MODEL : 8TPL**

Product Code	Watts	Height	Pole Dia (mm)
8TPL - A	50W	3000	Ø114 & Ø60
8TPL - B	100W	3000	Ø114 & Ø60
8TPL - C	50W	4000	Ø114 & Ø60
8TPL - D	100W	4000	Ø114 & Ø60
8TPL - E	50W	5000	Ø114 & Ø60
8TPL - F	100W	5000	Ø114 & Ø60


**Body: ALUMINIUM & G.I. POLE; CCT: WW/NW/CW**





**MODEL : 9TPL**

Product Code	Watts	Height(mm)	Pole Dia(mm)
9TPL - A	24W	1800	100 X 100mm
9TPL - B	36W	2400	100 X 100mm
9TPL - C	50W	3000	100 X 100mm



**MODEL : 10TPL**

Product Code	Watts	Height	Pole Dia (mm)
10TPL - A	24W	1800	150 X 100mm
10TPL - B	36W	2400	150 X 100mm
10TPL - C	50W	3000	150 X 100mm

**Body: ALUMINIUM & G.I. POLE; CCT: WW/NW/CW**




**MODEL : 11TPL**

Product Code	Watts	Height(mm)	Pole Dia Ø
11TPL - A	36W	2400	Ø75mm
11TPL - B	36W	3000	Ø75mm
11TPL - C	36W	2400	Ø114 & Ø75
11TPL - D	36W	3000	Ø114 & Ø75

**MODEL : 12TPL**


Product Code	Watts	Height(mm)	Pole Dia Ø
12TPL - A	36W	2400	Ø75mm
12TPL - B	36W	3000	Ø75mm
12TPL - C	36W	2400	Ø114 & Ø75
12TPL - D	36W	3000	Ø114 & Ø75

**Body: ALUMINIUM & G.I. POLE; CCT: WW/NW/CW**



**MODEL : 13TPL**

Product Code	Watts	Height(mm)	Pole Dia Ø
13TPL - A	50W	2400	Ø 60mm
13TPL - B	50W	3000	Ø 60mm
13TPL - C	50W	3600	Ø 60mm




**MODEL : 14TPL**

Product Code	Watts	Height(mm)	Pole Dia Ø
14TPL - A	50W	2400	Ø 60mm
14TPL - B	100W	2400	Ø 60mm
14TPL - C	50W	3000	Ø 60mm
14TPL - D	100W	3000	Ø 60mm
14TPL - E	50W	3600	Ø 60mm
14TPL - F	100W	3600	Ø 60mm

**Body: ALUMINIUM & G.I. POLE; CCT: WW/NW/CW**





**MODEL : 15TPL**

Product Code	Watts	Height(mm)	Pole Dia Ø
15TPL - A	36W	2400	Ø60mm
15TPL - B	36W	3000	Ø60mm
15TPL - C	36W	3600	Ø60mm



**MODEL : 16TPL**

Product Code	Watts	Height(mm)	Pole Dia Ø
16TPL - A	50W	2400	Ø75mm
16TPL - B	50W	3000	Ø75mm
16TPL - C	50W	2400	Ø114 & Ø75
16TPL - D	50W	3000	Ø114 & Ø75

**Body: ALUMINIUM & G.I. POLE; CCT: WW/NW/CW**



# Heritage Wall Lights



**MODEL : KNHWL**

Size	Colour	Body
350mm X 225mm 500mm X 275mm	Black	Aluminium

BASE : B22



**MODEL : HEXHWL**

Size	Colour	Body
330mm X 220mm 450mm X 280mm	Black	Aluminium

BASE : B22



**MODEL : QUADHWL**

Size	Colour	Body
320mm X 210mm 370mm X 260mm	Black	Aluminium

BASE : B22



**MODEL : WCHWL**

Size	Colour	Body
425mm X 250mm	Black	Aluminium

BASE : B22



**MODEL : QNHWL**

Size	Colour	Body
300mm X 200mm 425mm X 260mm	Antique Gold	Aluminium

BASE : B22



**MODEL : BSPHWL**

Size	Colour	Body
350mm X 300mm	Antique Gold/ Black	Aluminium

BASE : B22



# Wall Lights





**MODEL : K**



**MODEL : RD**



**MODEL : SQ**

Watts	Dimensions(mm)
3W	80 X 75 X 65(H)
3W * 2	80 X 142 X 65(H)

Watts	Dimensions(mm)
3W * 2	65 X 50 X 60(H)
3W * 4	77 X 77 X 57(H)

Watts	Dimensions(mm)
5W	68 X 80 X 80(H)
5W * 2	68 X 150 X 80(H)



**MODEL : CYL**



**MODEL : RT**



**MODEL : X**

Watts	Dimensions(mm)
5W	65 X 95 X 100(H)
5W * 2	65 X 115 X 110(H)

Watts	Dimensions(mm)
3W	40 X 90 X 60(H)
3W * 2	45 X 120 X 63(H)

Watts	Dimensions(mm)
6W * 2	100 X 200 X 83(H)

**Led: EDISON/BRIDGELUX; Driver: BIS/PHILIPS; CCT: WW/NW/CW  
Body: ALUMINIUM DIE-CASTED; IP Rating: IP65**



**MODEL : FRAME**

Watts	Dimensions(mm)
6W	215 X 125 X 55(H)



**MODEL : 4 WAY**

Watts	Dimensions(mm)
3W * 4	100 X 100 X 50(H)



**MODEL : CUT**

Watts	Dimensions(mm)
3W * 2	108 X 180 X 65(H)



**MODEL : BOX**

Watts	Dimensions(mm)
3W * 2	100 X 100 X 100(H)



**MODEL : 6 WAY**

Watts	Dimensions(mm)
6W	116 X 61(H)



**MODEL : TRI**

Watts	Dimensions(mm)
3W * 3	165 X 45(H)

**Led: EDISON/BRIDGELUX; Driver: BIS/PHILIPS; CCT: WW/NW/CW  
Body: ALUMINIUM DIE-CASTED; IP Rating: IP65**



**MODEL : BNW**

Watts	Dimensions(mm)
10W	175 X 95 X 65(H)



**MODEL : WNW**

Watts	Dimensions(mm)
10W	165 X 65(H)




**MODEL : GNW**

Watts	Dimensions(mm)
8W	85 X 210 X 65(H)

**Led: EDISON/BRIDGELUX; Driver: BIS/PHILIPS; CCT: WW/NW/CW  
Body: PVC; IP Rating: IP65**




# Post Top Lights



**MODEL : 1PTL**


Watts	Lumens	Dia Size
50/100W	6000/12000Lumens	60/75mm



**MODEL : 2PTL**


Watts	Lumens	Dia Size
50W	6000Lumens	60mm

**Led: BRIDGELUX/OSRAM; CCT: WW/NW/CW  
Body: ALUMINIUM**



**MODEL : 3PTL**

Watts	Lumens	Dia Size
36W	4320Lumens	60mm




**MODEL : 4PTL**

Watts	Lumens	Dia Size
36W	4320Lumens	75mm


**Led: BRIDGELUX/OSRAM; CCT: WW/NW/CW  
Body: ALUMINIUM & MS**






**MODEL : 5PTL**

Watts	Lumens	Dia Size
50W	6000Lumens	60mm




**MODEL : 6PTL**

Watts	Lumens	Dia Size
50W	6000Lumens	60mm



**MODEL : 7PTL**


Watts	Lumens	Dia Size
50/100W	6000/12000Lumens	38mm



**MODEL : 8PTL**


Watts	Lumens	Dia Size
50W	6000Lumens	38mm

**Led: BRIDGELUX/OSRAM; CCT: WW/NW/CW  
Body: ALUMINIUM**




**MODEL : 9PTL**

Watts	Lumens	Dia Size
50W	6000Lumens	60mm




**MODEL : 10PTL**

Watts	Lumens	Dia Size
50W	6000Lumens	60mm



**MODEL : 11PTL**

Watts	Lumens	Dia Size
36W	4320Lumens	60mm



**MODEL : 12PTL**

Watts	Lumens	Dia Size
50W	6000Lumens	75mm

Led: BRIDGELUX/OSRAM; CCT: WW/NW/CW  
Body: ALUMINIUM



# Inground Lights

# Inground Lights



**MODEL : 1IGL**



**MODEL: 3IGL**



**MODEL : 6IGL**

Watts	Dimensions(mm)
1W * 1 <b>1W</b>	65 X 70(H)

Watts	Dimensions(mm)
1W * 3 <b>3W</b>	100 X 75(H)

Watts	Dimensions(mm)
1W * 7 <b>7W</b>	120 X 80(H)



**MODEL : 9IGL**



**MODEL : 12IGL**



**MODEL : 18IGL**

Watts	Dimensions(mm)
1W * 9 <b>9W</b>	135 X 90(H)

Watts	Dimensions(mm)
1W * 12 <b>12W</b>	150 X 90(H)

Watts	Dimensions(mm)
1W * 18 <b>18W</b>	180 X 90(H)



**MODEL : 24IGL**



**MODEL : 6LIGL**



**MODEL : 12LIGL**

Watts	Dimensions(mm)
1W * 24 <b>24W</b>	220 X 90(H)

Watts	Dimensions(mm)
1W * 6 <b>6W</b>	200 X 80 x 55(H)

Watts	Dimensions(mm)
1W * 12 <b>12W</b>	500 X 90 X 75(H) 1000 X 90 X 75(H)

Led: EDISON/BRIDGELUX; Driver: BIS/PHILIPS; CCT: WW/NW/CW/RGB  
Body: ALUMINIUM DIE-CASTED/SS304; IP Rating: IP65





# Street Lights

## MODEL : GLASS

Watts	Dimensions(mm)
15W	250 X 78 X 45
18W / 24W	300 X 90 X 50
30W	340 X 125 X 65
36W / 50W	380 X 145 X 65
60W / 72W	390 X 160 X 75
100W	410 X 180 X 75
150W	430 X 200 X 75
200W	530 X 260 X 80



## MODEL : MAZE

Watts	Dimensions(mm)
24W	300 X 90 X 50
36W	340 X 125 X 65
50W	380 X 145 X 65
72W	390 X 160 X 75
100W	410 X 180 X 75
150W	430 X 200 X 75
200W	530 X 260 X 80

## MODEL : LENS


Watts	Dimensions(mm)
18W / 24W	108 X 280 X 45
36W	130 X 340 X 45
50W / 72W	162 X 395 X 45
100W	192 X 480 X 70
150W	205 X 575 X 70



Led: OSRAM/BRIDGELUX; Driver: BIS/PHILIPS; CCT: WW/NW/CW  
 Body: ALUMINIUM DIE-CASTED; Beam Angle: 60°/90°/120°; IP Rating: IP65



# Solar Lights



**MODEL : ALL IN ONE**

Watts	PV Module	Battery (LiFePO4)	Dimensions(mm)
12W	30wp	75wh	330 X 140 X 95
15W	40wp	120wh	440 X 190 X 105
20W	45wp	154wh	440 X 225 X 110
24W	50wp	192wh	440 X 225 X 110
30W	60wp	231wh	440 X 225 X 110
40W	75wp	308wh	500 X 250 X 115
50W	100wp	384wh	410 X 150 X 145
80W	150wp	467wh	410 X 150 X 145



**MODEL : SEMI INTEGRATED**

Watts	PV Module	Battery (LiFePO4)	Dimensions(mm)
10W	30W	75wh	330 X 140 X 95
12W	45W	120wh	440 X 190 X 105
15W	50W	154wh	440 X 225 X 110
18W	60W	192wh	440 X 225 X 110
24W	75W	231wh	440 X 225 X 110
30W	100W	308wh	500 X 250 X 115
36W	120W	384wh	410 X 150 X 145
40W	150W	467wh	410 X 150 X 145

**MODEL : LANTERN**

Watts	PV Module	Battery (LiFePO4)
3W	5W	27wh
5W	10W	54wh
7W	15W	80wh





## MODEL : HML

Watts	PV Module	Battery (LiFePO4)	Dimensions(mm)
24W	100wp	24ah	180 X 80 X 180
30W	150wp	30ah	180 X 80 X 180
50W	200wp	54ah	180 X 80 X 180
70W	250wp	78ah	180 X 80 X 180



## MODEL : INTEGRATED HML



Watts	PV Module	Battery (LiFePO4)	Dimensions(mm)
18W	75wp	18ah	280 X 180 X 250
24W	100wp	24ah	280 X 180 X 250
30W	100wp	30ah	280 X 180 X 250
36W	150wp	36ah	280 X 180 X 250



## MODEL : ALL IN ONE ECO

Watts	Solar Panel	Battery (LiFePO4)	LED Chip Qty.	Dimensions(mm)
30W	6V 6W	3.2V 5ah	48pcs	400 X 210 X 52
60W	6V 8W	3.2V 10ah	96pcs	500 X 230 X 70
90W	6V 12W	3.2V 15ah	144pcs	630 X 250 X 70
120W	6V 18W	3.2V 18ah	240pcs	725 X 245 X 50



# Underwater Lights





**MODEL : SS**

Watts	Outer	Height
12W	200mm	45mm



**MODEL : FIBRE**

Watts	Outer	Height
12W	200mm	45mm
18W	300mm	45mm



**MODEL : CONCEALED**

Watts	Outer	Cutout	Height
3W	95mm	75mm	25mm
6W	120mm	100mm	25mm
9W	150mm	125mm	25mm
12W	150mm	125mm	25mm
18W	180mm	150mm	25mm



**MODEL : SURFACE**

Watts	Outer	Height
3W	75mm	25mm
6W	100mm	25mm
9W	125mm	25mm
12W	125mm	25mm
18W	150mm	25mm



**MODEL : STAND**

Watts	Outer	Height
3W	82mm	140mm
6W	120mm	140mm
9W	145mm	180mm
12W	145mm	180mm




**MODEL : FOUNTAIN**

Watts	Outer	Cutout	Height
6W	130mm	38mm	55mm
9W	160mm	38mm	64mm
12W	160mm	38mm	64mm

**Led: EDISON; Driver: BIS/MEANWELL; CCT: WW/NW/CW/R/G/B/RGB  
Body: SS304/ALUMINIUM; IP Rating: IP68**



 **Admin Add.:**  
Opp. Anand Prakash Bldg., Kondivita Road,  
MIDC, Andheri (E), Mumbai - 400059

 **Regd. Add.:**  
Mayekar Manzil, Mulgaon Hill, O.A. Road,  
MIDC, Andheri (E), Mumbai - 400093

 **+91 9769875039 / 9619875093**

 **info@skyloled.com**

 **www.skyloled.com**